Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Fall, 1912: CATALOG: Spring, 1913

KELSEY'S

Rhododendrons, Azaleas and Other Hardy Native American Plants

Grown in the Carolina Mountains, at 3,800 feet elevation

HIGHLANDS NURSERY, Saginaw, N. C.



Abies fraseri, specimen on grounds of Highlands Nursery. Greatly superior to Abies balsamea, which is of little permanence or value.

TERMS

TEPMS cash, or satisfactory references from unknown Accounts due first of each month, unless by special to 5 at 10 rates; 50 at 100 rates; 500 at 1,000 rates.

DL A CHARGE is always made for special selection. a spe

FOREIGN REMITTANCES by Postal Money wn on Salem, Mass., post office; or by New York Exchange. An American dollar equals 4 shillings,

CLAIMS must be made on receipt of goods. If there is any mistake or fault on our part, it will be gladly rectified.

All shipments travel at consignee's risk, and transportation companies must be held liable for damage in transit.

Always HARLAN P. KELSEY

Owner of Highlands Nursery, and Salem and Boxford Nurseries

SALEM, MASS., U.S.A.

Cable Address: KELMONT - SALEM

Information

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk Steamship Lines, deliveries to northern and eastern points are quick and rates low.

SALEM AND BOXFORD NURSERIES SHIPMENTS are made from Salem or Boxford direct, and Salem and Boxford price-lists must be used in ordering. Prices are about 25 per cent higher than for similar stock at our main **Highlands Nursery.** A fine stock of specimen Rhdodendrons, Azaleas, Conifers, etc., may be seen at Salem and Boxford Nurseries, and deliveries to eastern points rarely take more than a day or two.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM AND KALMIAS are from our special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South from high altitudes.

"COLLECTED" RHODODENDRON CATAWBIENSE ND RHODODENDRON CAROLINIANUM (PUNC-AND TATUM) come only from the South.

OUR NURSERIES ARE UNIQUE, being the first and only to grow Native American Ornamentals, and we now have the only large and complete stock of Hardy American Plants in existence.

THE LOCATION OF HIGHLANDS NURSERY also is unique, an elevation of 3,800 feet insuring unquestioned

SHIPPING BEGINS IN SEPTEMBER, when we send out large Rhododendrons, Kalmias, and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November, and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment but assume no risk.

OUR EXPORT SHIPMENTS reach the most remote countries in perfect condition; we have exported for over 25 years, and know how to pack.

DESCRIPTIVE CATALOG, beautifully illustrated, is gladly mailed on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given.

HARLAN P. KELSEY, Owner

Cable Address KELMONT-SALEM

SALEM, MASS.

Where Kelsey's Hardy American Plants Are Grown

HIGHLANDS NURSERY, under ideal natural conditions at 3,800 feet elevation in the Southern Alleghanies, produces absolutely hardy stock for latitudes as far north as Ottawa, Canada.

SALEM AND BOXFORD NURSERIES carry specimen plants, and are distributing points for New England. Send for Catalogs.

SPECIALTIES: Rhododendrons, Azaleas, Kalmias, Leucothoës, Galax, Rare Ericaceæ, Lilies, Trilliums, and the largest general collection of Hardy Native American Plants in existence. Carload shipments for mass-planting.

LANDSCAPE DEPARTMENT. Planting plans made and executed. Wild gardens, woodland "under-planting," bog- and water-gardens, rockeries. Broad-leaved Evergreen effects. Formal gardens.

September and October is the time to successfully ship and plant Lilies, Trilliums, Cypripediums, Erythroniums and other Bulbs, and many Herbaceous Plants.



Azalea arborescens

Trees, Shrubs and Woody Vines

NOTE.—All plants are transplanted and nursery-grown unless plainly marked otherwise.

Bear in mind this is a catalog of Nursery-grown plants growing at our Highlands Nursery, Saginaw, North Carolina, where we have 100 acres in Nursery. For Catalog of Salem and Boxford Nurseries, see pages following 16.

lowing 16,	Per 10	100	1,000
*Abies concolor. 1 to $1\frac{1}{2}$ ft	\$3 00	\$25 00	
1½ to 2 ft	5 00	40 00	
*douglasii. See Pseudotsuga.			
fraseri. 6 to 12 in	75	6 50	
1 to 1½ ft	1 25	10 00	\$90 00
$1\frac{1}{2}$ to 2 ft		22 50	
2 to 3 ft	5 00	40 00	
Acer pennsylvanicum. 2 to 3 ft	1 50	12 50	
3 to 4 ft			
rubrum. 3 to 4 ft	2 00		
saccharum. Sugar Maple. 6 to 12 in	25	2 00	15 00
1 to 2 ft		4 00	25 00
2 to 3 ft		5 00	40 00
3 to 4 ft	75	6 00	
spicatum. 6 to 12 in	75	6 00	
1 to 2 ft		8 50	
2 to 3 ft	2 00		
Adelia acuminata. 2 to 3 ft	4 00		
Æsculus octandra. 1 to 2 ft	50		
Alnus alnobetula. 4 to 6 ft., clumps	4 00	37 50	
rugosa. 1 to 2 ft	1 50		
Amelanchier botryapium. 1 to 2 ft	1 00	8 50	
2 to 3 ft		10 00	
3 to 4 ft		17 50	
4 to 6 ft		25 00	
Ampelopsis (Parthenocissus) engelmanii.			
Light	75	6 00	50 00
Strong		10 00	
vitacea. 1 to 2 ft	3 50		
Andromeda (Pieris) arborea. See Oxydendru	m.		
cateshai. See Leucothoe.			

EVERGREENS ARE MARKED WITH A STAR (*)

TREES, SHRUBS AND VINES, continued

*Andromeda floribunda. Mountain Andromeda. 2 to 4 feet. Compac bush, with shining green leaves and abundant racemes of showy white flowers in May. Without doubt, the choicest of all this section of the Andromeda family. We have over 5,000 bushy plants and

the Andromeda family. We have over 5,000 bushy pla	
clumps on hand at our Nurseries, all with balls, and budde	d.
Per 10	100
6 to 12 in., clumps\$10 00	
1 to $1\frac{1}{2}$ ft., clumps	125 00
ligustrina. See Xolisma.	
Aralia spinosa. 1 to 2 ft	
Aristolochia sipho. 6 to 12 in	10 00
1 to 2 ft 1 50	12 50
Aronia (Pyrus) arbutifolia. Brilliant scarlet berries. The	
are not surpassed by any undershrub for finished and per	rmanent
effect. Glossy foliage, brilliant fruit and graceful growth.	
Per 10 100	1,000
6 to 12 in	2,000
1 to 2 ft 1 75 15 00	
2 to 3 ft	
3 to 4 ft 4 00 37 50	
erythrocarpa, Dwarf species. 1 to 2 ft 2 00 17 50	
erythrocarpa, Tall species. 1 to 2 ft 2 50	
melanocarpa. 6 to 12 in	
nigra. Shining black fruit. 1 to 2 ft 1 25 10;00	\$90 00

HARDY AMERICAN **AZALEAS**

American Azaleas are among the choicest ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands

nated by Nursery.

They are seen at their best when planted in large masses and in properly prepared beds, and they richly repay any unusual care given them. Like most ericaceous plants they love ideep, moist, well-drained soil, and well-drained soil, these showy native these showy native species are particularly
adapted to planting in
shrub borders and with
rhododendrons, their brilliant blossoms being set
of dark foliage. The
complete hardiness of
all the species we offer
is unquestioned. No

is unquestioned. No American shrubs equal the native Azaleas, particularly A. lutea, for woodland and hillsides.

Our Carolina mountains a contraction of the contrac

Our Carolina mountains have added no more beautiful plant gardens than these terican Azaleas, not n excepting the magnetic constant of the magneti American American Azaleas, not even excepting the magnificent rhododendrons. Our stock of Azaleas, especially A. arborescens and A. lulea is unequaled. Usually all sizes over lift, are budded, and special attention is called to the larger-sized clumps. These are very desirable for immediate and permanent red before.



Azalea vaseyi

1

effects. Such specimen stock has never been offered before. Azalea arborescens. Fragrant White Azalea. In June the delightfully spicy fragrant white flowers, with pink stamens, appear in profusion, lasting for weeks. Becomes a spreading clump 3 to 6 feet ing 00

broad in cultivation; easy culture.	The folia	ge oft	en colo	ors striki	ng
shades of red in late summer.			100		
6 to 12 in		82 00	\$17 8	50	
1 to 1½ ft		3 50	32 5	50	
1½ to 2 ft			37 5	60	
6 to 12 in., clumps			50 0	00	
1 to $1\frac{1}{2}$ ft., clumps			75 (00	
$1\frac{1}{2}$ to 2 ft., clumps			125 (00	
2 to 3 ft., clumps			260 0	00	
3 to 4 ft., clumps		50 00			
canescens. 1 to 11 ft					
utea (calendulacea). Great flam-	e-colored				
Azalea. 6 to 12 in		1 50	12 5	50 \$100 (00
1 to 1½ ft		2 50	22 5	50 200 (00
1½ to 2 ft			25 (00 225	00
6 to 12 in., clumps		3 00	27 8	50 225	00
1 to 11 ft alumna		1 00	37 5	50 300 (00

EVERGREENS ARE MARKED WITH A STAR (*)

KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

	TREES, SHRUB	S AND V	INES, co	ntinu	ed		
Azalea lute:				r 10	100	1,00	nn
induction in the	$1\frac{1}{2}$ to 2 ft., clumps				\$62 50		,,
					90 00		
	2 to 3 ft., clumps.				200 00		
314	3 to 4 ft., clumps.		20	00	200 00	'	
nuamoi	a. Pinxter Flower			-0	10 50	0100	00
	6 to 12 in					\$100	UU
	1 to $1\frac{1}{2}$ ft				22 50		
	6 to 12 in., clumps				27 50		
	1 to $1\frac{1}{2}$ ft., clumps				37 50)	
	$1\frac{1}{2}$ to 2 ft., clumps		6	00			
	Southern Azalea.						
discov	ered in 1878, and in	troduced b	y Highlan	ds Nu	rsery	very so	on
after.	The most profuse	bloomer of	all the na	tive s	pecies.	Flow	ers
pink o	r deep rose-colored	. Foliage d	eep crims	on in	autum	n.	
¥				r 10	100	1.00	00
	6 to 12 in				\$22 50		
	1 to 1½ ft				32 50		
	$1\frac{1}{2}$ to 2 ft		6	50	62 50		
	6 to 12 in., clumps				50 00		
	1 to $1\frac{1}{2}$ ft., clumps		8	50	80 00		
Ticocco	6 to 12 in		0	50		\$100	00
viscosa.							
	1 to $1\frac{1}{2}$ ft		2		17 50		UU
	$1\frac{1}{2}$ to 2 ft		3	50	32 50		
	6 to 12 in., clumps		3		27 50		
	1 to $1\frac{1}{2}$ ft., clumps		4		37 50		
	$1\frac{1}{2}$ to 2 ft., clumps		6	00	50 00)	



Azalea lutea			
	Per 10	100	1,000
Benzoin (Lindera) benzoin. 2 to 3 ft	. \$2 00	\$17 50	
3 to 4 ft		25 00	
Berberis aquifolium (repens). 3 to 6 in	. 3 50	32 50	
thunbergii. 6 to 12 in		7 00	\$60 00
1 to 1½ ft		10 00	90 00
Betula lenta. 3 to 4 ft		8 50	
4 to 6 ft		17 50	
6 to 8 ft			
8 to 10 ft			
lutea. 8 to 10 ft			
Butneria (Calycanthus) fertilis. 1 to 2 ft		8 50	
2 to 3 ft		0 00	
floridus. 1 to 2 ft		6 00	
2 to 3 ft		10 00	
3 to 4 ft		10 00	
Bignonia crucigera. 6 to 12 in		8 50	75 00
Carpinus caroliniana (americana). 2 to 3 ft.		8 50	10 00
3 to 4 ft		12 50	
		18 00	
4 to 6 ft		27 50	
6 to 8 ft	3 00	27 50	
Castanea pumila. Chinkapin.	1 50	10 50	
6 to 12 in		12 50	
1 to 2 ft		17 50	
2 to 3 ft		37 50	
Ceanothus americanus. 1 to $1\frac{1}{2}$ ft			
Celastrus punctata. 6 to 12 in		6 00	
1 to 2 ft		8 50	
2 to 3 ft	1 50	12 50	
EVERGREENS ARE MARKED WITH	I A S'	ΓAR (*)	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY

TOFFS SUDIES AND VINES continued	
TREES, SHRUBS AND VINES continued Per 10 100 Celastrus scandens. 6 to 12 in	
1 to 2 ft 1 50 12 50	0
Cephalanthus occidentalis. 1 to 2 ft.	
3 to 4 ft	0
1 to 1½ ft	ŏ
Chionanthus virginica. White Fringe.	
1 to 2 tt	0
4 to 6 ft	hruh, with
handsome reddish bark and drooping racemes of whit	e flowers.
plant. July and August.	mountain
Per 10 100 1 to 2 ft\$1 00 \$8 5	0 1,000
2 to 3 ft	
6 to 8 ft. 7 50	
alnifolia. 6 to 12 in	0
1 to 2 ft., clumps	
Cornus amonum. 1 to 2 ft	
1 to 2 ft	0
2 to 3 ft	0
2 to 3 ft., clumps	0 \$50 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 75 00
2 to 3 ft., clumps	0
Cratægus coccinea. 1 to 2 ft	
punctata. 6 to 12 in	
2 to 3 ft	0
3 to 4 ft	0
alnifolia. 6 to 12 in. 100 8 5 1 to 2 ft. clumps. 2 00 17 5 Comptonia peregrina. "Collected." 6 to 12 in. 1 00 8 5 Cornus amonum. 1 to 2 ft. 75 6 0 Corylus americana. 6 to 12 in. 1 50 12 5 2 to 3 ft. clumps. 2 50 22 5 1 to 2 ft. clumps. 3 50 32 5 rostrata. 6 to 12 in. 75 6 0 1 to 2 ft. 1 00 8 5 2 to 3 ft. clumps. 2 50 22 5 Cratægus coccinea. 1 to 2 ft. 1 00 8 5 1 to 2 ft. 1 1 50 12 5 Cratægus coccinea. 1 to 2 ft. 1 25 10 0 2 to 3 ft. 1 50 12 5 *Pondrium buxifolium. 3 to 6 in., clumps. 1 00 8 5 6 to 12 in. 1 50 12 5 **Postratum. Mountain Heath. 6 to 12 in. The Carolina prostrate form of this beautiful genus. Rockwork closely covering the surface with a bed of green. In full b or June, produces a striking effect. The delicate flow with pink. 8 20 0 \$17 5 6 to 12 in., clumps. \$2 00 \$17 5 1 to 2 ft. 1 00 8 5 1 to 2 ft. 1 00 8 5 1 to 2 to 1 1 1 5 10 12 5 *Diervilla diervilla (trifida). 6 to 12 in. 1 25 10 0 Sessilifolia. 1 to 2 ft. 2 5 Diospyros virginiana. 6 to 12 in. 1 25 15 Dirca palustris. 6 to 12 in. 1 50 12 5 Euonymus americanus. 1 to 2 ft. 1 5 50 12 5 Euonymus americanus. 1 to 2 ft. 1 5 50 12 5 Euonymus americanus. 1 to 2 ft. 1 5 50 12 5	0 mountains
prostrate form of this beautiful genus. Rockwork	evergreen,
or June, produces a striking effect. The delicate flow	ers tinged
3 to 6 in., clumps\$2 00 \$17 5	0 1,000
6 to 12 in., clumps	.0 0
sessilifolia. 1 to 2 ft	60
1 to 2 ft	0
Euonymus americanus. 1 to 2 ft	0
Fraxinus americana. 2 to 3 ft	0 0
5 to 4 tt	
lanceolata. 2 to 3 ft 75 6 0	
4 to 6 ft 1 75 15 0	
6 to 8 ft	
	0
1 to 2 ft	00
ursina. 1 to 2 ft., clumps. 2 50 Hamamelis virginica. Witch Hazel. 6 to 12 in. 75 6 0 1 to 2 ft. 1 25 10 0	
4 to 6 ft	00 \$90 00
1 to 2 ft	00
*Hypericum aureum. 1 to 2 ft	
*densiflorum. 1 to 2 ft	00 60 60 00
3 to 4 ft	00
2 to 3 ft	
2 to 3 ft 2 50 Ilex decidua. 1 to 2 ft 1 50 12 5 2 to 3 ft 2 00 17 5 *glabra. 6 to 12 in 1 75 15 0	50
*glabra. 6 to 12 in	0 the decid-
*glabra. 6 to 12 in	nt scarlet
local name of "Bead Bush." Per 10 100	1,000
1 to 2 ft	00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	00
4 to 6 ft	
EVERGREENS ARE MARKED WITH A STAR (*)



Kalmia latifolia at Highlands Nursery TREES SHRURS AND VINES continued

INDES, SINCES AND VINES, COMMISSE							
Per 10	100)	1,000				
*Ilex opaca. American Holly. 6 to 12 in\$2 50			180 00				
1 to 1½ ft 3 00	27	50					
$1\frac{1}{2}$ to 2 ft	37	50					
2 to 3 ft 8 00							
verticillata. 6 to 12 in 1 50	12	50	100 00				
1 to 2 ft 2 00	17	50					
Ilicioides (Nemopanthes) mucronata.							
6 to 12 in 1 50							
*Juniperus virginiana. 6 to 12 in	10	00	90 00				
1 to 1½ ft 1 50	12	50					
$1\frac{1}{2}$ to $\tilde{2}$ ft	32	50					
Kalmia angustifolia. 6 to 12 in	10	00					
1 to $1\frac{1}{2}$ ft	17	50					
glauca. 6 to 12 in							
latifolia Mountain Laurel One of the grandest	of	Our	native				

3 to 6 in\$0	50	\$4	00	\$30 00
6 to 9 in 1	00	8	50	75 00
9 to 12 in 1	50	12	50	100 00
1 to 1½ ft 2	00	18	00	160 00
1½ to 2 ft 4		37	50	325 00
9 to 12 in., clumps 5		40	00	
1 to 1½ ft., clumps 6		62	50	550 00
$1\frac{1}{2}$ to 2 ft., clumps		100	00	
2 to 3 ft., clumps		200	00	
3 to 4 ft., clumps35				
1 to 2 ft., "collected" clumps 7		60	00	550 00
2 to 3 ft., "collected" clumps 12		100	00	850 00
3 to 4 ft., "collected" clumps 17		150	00	1300 00
Larix laricina (americana). 6 to 8 ft 6		_50		
Ledum grænlandicum. 3 to 6 in		10	00	

Larix laricina (american...)

*Ledum greenlandicum... 3 to 6 in... 1 25 15 00

*Leucothoe catesbæi. 3 to 8 ft. Few shrub evergreens of the broadleaved sort have the grace of this one. Has thick, shining green leaves, evenly disposed on long, recurved branches, and dense racemes of beautiful white bell-shaped flowers. As an undershrub or for banks and the borders of streams it is without a rival. The sprays make beautiful winter decorations indoors, turning a rich bronze in the fall where exposed to the sun. Over 40,000 plants in our Nurseries.

Per 10 100 1,000

6 to 12 in. \$1 00 \$8 50 \$75 00

1 to 1½ ft. 1 50 12 50 100 00

EVERGREENS ARE MARKED WITH A STAR (*)

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY



Dedcothoe Catesba

TREES, SHRUBS AND VINES, continued Leucothoe catesbæi, continued Per 10 100 1½ to 2 ft \$2 75 \$25 00	1,000
	P995 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$1 \text{ to } 1\frac{1}{2} \text{ tc., clumps.}$ 4 00 37 50 $1\frac{1}{2} \text{ to } 2 \text{ ft., clumps.}$ 6 50 62 50	
recurva. 6 to 12 in	
1 to 2 ft	
racemosa. 6 to 12 in., clumps	
1 to $1\frac{1}{2}$ ft., clumps	
Lonicera dioica. 1 to 2 ft	
Lonicera dioica. 1 to 2 ft 1 00 8 50 *japonica. var. halliana. Light 75 6 50	
Strong	
*sempervirens, 1 to 2 ft 1 75 15 00	
Magnolia acuminata. 6 to 12 in	
1 to 2 ft., 1 00 8 50)
2 to 3 ft 1 50	
fraseri. 1 to 2 ft)
4 to 6 ft 4 00 37 50)
6 to 8 ft 6 00 50 00	
tri petala. 2 to 3 ft)
3 to 4 ft	
4 to 6 ft 3 00 27 50)
Malus coronaria. Wild Fragrant Crab.	
6 to 12 in	
1 to 2 ft	
Menziesia pilosa. 1 to 2 ft)
Mohrodendron (Halesia) carolinum. Silver	2
Bell. 6 to 12 in	
1 to 2 ft)
diptera. 1 to 2 ft	0 75 00
gale. 6 to 12 in	
1 to $1\frac{1}{2}$ ft	
Nyssa multiflora. 6 to 12 in	
1 to 2 ft	
Ustrva virginica. 1 to 2 ft	
Ostrya virginica. 1 to 2 ft	
2 to 3 ft	0
2 to 3 ft	0
2 to 3 ft	One of our
2 to 3 ft	One of our
2 to 3 ft	One of our ne on slen- bliage that
2 to 3 ft	One of our ne on slen- pliage that son.
2 to 3 ft	One of our ne on slen- bliage that son. 1,000 0 \$90 00
2 to 3 ft 2 00 3 to 4 ft 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. C finest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful fc colors brilliantly in early autumn through shades of crims Per 10 6 to 12 in. \$1 25 \$10 0 1 to 2 ft 1 75	One of our ne on slen- bliage that son. 1,000 0 \$90 00 0 125 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crime Per 10 100 6 to 12 in. \$1 25 \$10 0 1 to 2 ft. 1 75 15 0 2 to 3 ft. 22 50 22 5	One of our ne on slen- bliage that son. 1,000 0 \$90 00 0 125 00
2 to 3 ft 2 00 3 to 4 ft 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. C finest native trees, producing white, fragrant flowers, bord der petioles in long, panicled racemes and very graceful fc colors brilliantly in early autumn through shades of crims Per 10 6 to 12 in. \$1 25 \$10 0 1 to 2 ft. \$1 75 15 0 2 to 3 ft. \$2 50 22 5 3 to 4 ft \$3 50	One of our ne on slen- bliage that son. 1,000 0 \$90 00 0 125 00
2 to 3 ft 2 00 3 to 4 ft 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. C finest native trees, producing white, fragrant flowers, bord der petioles in long, panicled racemes and very graceful fc colors brilliantly in early autumn through shades of crims Per 10 6 to 12 in. \$1 25 \$10 0 1 to 2 ft. \$1 75 15 0 2 to 3 ft. \$2 50 22 5 3 to 4 ft \$3 50	One of our ne on slen- bliage that son. 1,000 0 \$90 00 0 125 00 0 200 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. C finest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crims Per 10 100 6 to 12 in. \$1 25 810 0 1 to 2 ft. 1 75 15 0 2 to 3 ft. 2 50 22 5 3 to 4 ft. 3 50 Picea douglasii. See Pseudotsuga. *Encelmanni. 6 to 12 in. 1 50 12 5	One of our ne on slen- blage that son. 1,000 0 \$90 00 0 125 00 0 200 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. C finest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crims Per 10 100 6 to 12 in. \$1 25 810 0 1 to 2 ft. 1 75 15 0 2 to 3 ft. 2 50 22 5 3 to 4 ft. 3 50 Picea douglasii. See Pseudotsuga. *Encelmanni. 6 to 12 in. 1 50 12 5	0 one of our nee on slen- oliage that son. 1,000 0 \$90 00 0 125 00 0 200 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crime Per 10 6 to 12 in. \$1 25 \$10 0 1 to 2 ft. 1 75 15 0 2 to 3 ft. 2 50 22 5 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 25 10 0 2 to 3 ft. 1 25 10 0	One of our ne on slen- ne on slen- slage that son. 1,000 0 \$90 00 0 125 00 0 200 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crime Per 10 100 6 to 12 in. 81 25 100 1 to 2 ft. 1 75 15 0 20 3 100 2 to 3 ft. 2 50 22 5 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 25 10 0 2 to 3 ft. 1 75 15 0 20 20 20 3 100 3 to 4 ft. 3 00 25 0 25 0 3 100 4 100 100 100 100 100 100 100 100 1	One of our ne on slen- ne on slen- slage that son. 1,000 0 \$90 00 0 125 00 0 200 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crime Per 10 100 6 to 12 in. 81 25 100 1 to 2 ft. 1 75 15 0 20 3 100 2 to 3 ft. 2 50 22 5 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 25 10 0 2 to 3 ft. 1 75 15 0 20 20 20 3 100 3 to 4 ft. 3 00 25 0 25 0 3 100 4 100 100 100 100 100 100 100 100 1	One of our ne on slen- ne on slen- slage that son. 1,000 0 \$90 00 0 125 00 0 200 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crime Per 10 100 6 to 12 in. 81 25 100 1 to 2 ft. 1 75 15 0 20 3 100 2 to 3 ft. 2 50 22 5 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 25 10 0 2 to 3 ft. 1 75 15 0 20 20 20 3 100 3 to 4 ft. 3 00 25 0 25 0 3 100 4 100 100 100 100 100 100 100 100 1	One of our need on slen- lings that son. 1,000 0 \$90 00 0 200 00 00 00 00 00 00 00 00 00 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crime Per 10 6 to 12 in. \$1 25 \tag{5} \tag{10} 0 1 to 2 ft. 1 75 15 0 2 to 3 ft. 2 5 0 22 5 3 to 4 ft. 3 50 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 25 10 0 2 to 3 ft. 1 75 15 0 2 to 3 ft. 1 75 15 0 2 to 5 ft. 6 00 5 to 6 ft. 10 00 *pungens. 1 to 2 ft. 5 00 40 0 2 to 3 ft. 5 00 40 0 *pungens. 1 to 2 ft. 5 00 47 0	0 One of our ne on slen- pliage that son. 1,000 0 \$90 00 0 125 00 0 200 00 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. C finest native trees, producing white, fragrant flowers, born der petioles in long, panieled racemes and very graceful ft colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims	0 One of our ne on slen- pliage that son. 1,000 0 \$90 00 0 125 00 0 200 00 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. C finest native trees, producing white, fragrant flowers, born der petioles in long, panieled racemes and very graceful ft colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims	0 One of our ne on slen- pliage that son. 1,000 0 \$90 00 0 125 00 0 200 00 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crims Per 10 6 to 12 in. 81 25 810 0 1 to 2 ft. 1 75 15 0 2 to 3 ft. 25 50 22 5 3 to 4 ft. 3 50 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 75 15 0 3 to 4 ft. 3 00 25 0 4 to 5 ft. 1 75 15 0 5 to 6 ft. 10 00 *pungens. 1 to 2 ft. 1 0 00 *pungens. 1 to 2 ft. 8 00 70 0 Pieris floribunda. See Andromeda. mariana. 1 to 2 ft. clumps. 4 00 *Pinus divaricata. 1 to 2 ft. 1 50 12 5 Pieris mariaraa. 1 to 2 ft. 1 50 12 5	One of our ne on slen- liage that son. 1,000 0 \$90 00 0 200 00 00 00 00 00 00 00 00 00 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, paniede racemes and very graceful fe colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly autumn through the colors brilliantly autumn through shades of crims of the colors brilliantly autumn thr	0 one of our ne on slen- bliage that son. 1,000 o \$90 00 o 125 00 o 200 00 o 0 o 0 o 0 o 0 o 0 o 0 o 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crims Per 10 6 to 12 in. 81 25 \$10 0 1 to 2 ft. 175 15 0 2 to 3 ft. 25 50 25 5 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 75 15 0 3 to 4 ft. 3 00 25 00 4 to 5 ft. 6 00 5 to 6 ft. 10 00 *pungens. 1 to 2 ft. 10 00 *pungens. 1 to 2 ft. 5 00 40 0 Pieris floribunda. See Andromeda. mariana. 1 to 2 ft. 1 50 12 5 Pieris divaricata. 1 to 2 ft. 1 50 12 5 *Pinus divaricata. 1 to 2 ft. 1 50 12 5 3 to 4 ft. 2 00 17 5	One of our ne on slen- liage that son. 1,000 0 \$99 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful ft colors brilliantly in early autumn through shades of crims Per 10 6 to 12 in. 81 25 \$10 0 1 to 2 ft. 175 15 0 2 to 3 ft. 25 50 25 5 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 75 15 0 3 to 4 ft. 3 00 25 00 4 to 5 ft. 6 00 5 to 6 ft. 10 00 *pungens. 1 to 2 ft. 10 00 *pungens. 1 to 2 ft. 5 00 40 0 Pieris floribunda. See Andromeda. mariana. 1 to 2 ft. 1 50 12 5 Pieris divaricata. 1 to 2 ft. 1 50 12 5 *Pinus divaricata. 1 to 2 ft. 1 50 12 5 3 to 4 ft. 2 00 17 5	One of our ne on slen- liage that son. 1,000 0 \$99 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful fe colors brilliantly in early autumn through shades of crime Per 10 100 6 to 12 in. \$1 25 \$10 00 1 to 2 ft. 1 75 15 00 2 to 3 ft. 2 50 22 5 Picea douglasii. See Pseudotsuga. *Engelmanni. 6 to 12 in. 1 50 12 5 *mariana. 1 to 2 ft. 1 75 15 00 3 to 4 ft. 3 00 25 00 4 to 5 ft. 6 00 5 to 6 ft. 10 00 *pungens. 1 to 2 ft. 10 00 *pungens. 1 to 2 ft. 10 00 *pingens. 1 to 2 ft. 10 00 *piris floribunda. See Andromeda. mariana. 1 to 2 ft. 1 50 10 00 *Pirus divaricata. 1 to 2 ft. 1 50 12 5 2 to 3 ft. 2 10 00 *Pinus divaricata. 1 to 2 ft. 1 50 12 5 3 to 4 ft. 2 00 17 5 3 to 4 ft. 3 00 27 5 4 to 6 ft. 8 00 70 0	One of our ne on slen- liage that son. 1,000 0 \$99 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Oxydendrum arboreum. Tree Andromeda. 25 to 50 ft. 6 finest native trees, producing white, fragrant flowers, born der petioles in long, panieled racemes and very graceful fc colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in the colors of th	One of our ne on slen- liage that son. 1,000 0 \$99 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful fe colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of creation long. The colors brilliantly in early autumn through shades of creation long. The colors brilliantly in early autumn through shades of crims of the colors brilliantly autumn through shades of creful of the colors brilliantly autumn through shades of crims of	One of our need on slendings that son. 1,000 0 \$90 00 0 125 00 0 00 0 00 0 00 0 00 0 150 00 0 150 00 0 225 00
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful fe colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in the	One of our ne on slen- liage that son. 1,000 0 \$99 00 0 0 200 00 0 0 0 0 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful fe colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in early autumn through shades of crims of the colors brilliantly in the	One of our ne on slen- bliage that son. 1,000 0 \$90 00 0 0 125 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 3 00 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful fe colors brilliantly in early autumn through shades of crime colors brilliantly in colors brilliantly autumn through shades of colors brilliantly autumn through shades of crime colors brill	One of our ne on slen- liage that son. 1,000 0 \$99 00 0 0 0 0 200 00 0 0 0 0 0 0 0 0 0 0
2 to 3 ft. 2 00 3 to 4 ft. 30 Orydendrum arboreum. Tree Andromeda. 25 to 50 ft. Confinest native trees, producing white, fragrant flowers, born der petioles in long, panicled racemes and very graceful fe colors brilliantly in early autumn through shades of crime colors brilliantly autumn through shades of colors brilliantly autumn through shades of crime colors brilli	One of our ne on slen- liage that son. 1,000 0 \$90 00 0 0 125 00 0 0 200 00 0 0 0 0 0 0 0 0 0 0 0 0

Hardy American Plants KELSEY'S Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS AND VINES	cor	otin	ued	
	Per		100	1,000
*Pinus rigida. 1 to 2 ft	.\$1	50	\$12 50	_,
2 to 3 ft		00	17 50	\$150 00
3 to 4 ft		00	27 50	225 00
4 to 6 ft		00	50 00	220 00
*strobus. 6 to 12 in	. 0	60	5 00	40 00
		75	15 00	40 00
1 to 2 ft			175 00	
6 to 8 ft		00	175 00	
8 to 10 ft		00	10 50	
Prunus maritima. 1 to 2 ft		50	12 50	
2 to 3 ft		00		
pumila. 1 to 2 ft		50	12 50	
2 to 3 ft	. 2	00		
*Pseudotsuga taxifolia. Douglas Spruce.				
6 to 12 in	. 1	00	8 50	75 00
1 to 2 ft	. 2	00	17 50	
Quercus alba. 1 to 2 ft	. 1	00	8 50	
2 to 3 ft	. 1	50	12 50	
coccinea. 2 to 3 ft	. 2	00		
macrocarpa. 3 to 4 ft	4	00		
palustris. 4 to 6 ft		00	25 00	
6 to 8 ft		00	37 50	
8 to 10 ft		00	70 00	
prinus. 3 to 4 ft		00	10 00	
		00		
4 to 6 ft				
rubra. 3 to 4 ft		00		
4 to 6 ft		00	00 50	
Rhodora canadensis. 6 to 12 in	. 2	50	22 50	

RHODODENDRONS

*Rhododendron catawbiense, of the Carolina Mountains

It is this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with Rhododendron maximum and R. punctatum, color and hardy blood to the cultivated "hybrids," but with a consequent loss of hardiness; and so today, for American gardens where ironclad hardiness is essential, we must turn to the true original species, found on the lottiest, coldest peaks of the Southern Alleghanies, where it attains a height of 20 to 30 feet.

Considering the extreme hardiness, color of flower, compact growth and remarkable texture of foliage, which is a deep, shining green, and far superior to the better-known Rhododendron maximum, we can recommend the true native catawbiense as the finest for general use, withstanding exposure and extremes of temperature where other Rhododendrons fail.



Rhododendron catawbiense

RHODODENDRON CATAWBIENSE, continued

RHODOENDRON CATAWBIENSE, continued

Do not confuse this true species, which is absolutely hardy, with the common so-called catawbiense hybrid seedling so freely imported from Europe, which is at best half-hardy, and even when branched above is a single stem, showing bareness underneath for years.

Unlike Rhododendron maximum, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy half-breed imported variety noted above), and, as sent out by Highlands Nursery are always on their own roots.

For massing to produce a broad-leaved evergreen landscape effect, there is no plant equal to it in the latitude of the Northern United States and Canada, where strictly hardy plants must be employed. As a rich, finished border to plantations of the commoner Rhododendron maximum and Kalmia latifolia, the value of Rhododendron catawbiense cannot be overestimated.

Do not compare our many-stemmed clumps with the single stemmed, "bushy" half-hardy Rhododendrons offered by importers. There is no comparison.

Per 10 100 1,000

•	cre is no comparison.	Pe	r 10	10	0	1,0	00
	3 to 6 in., heavy, nursery-grown	.\$1	00	\$8	50	\$75	00
	6 to 9 in., heavy, nursery-grown	. 1	50	12	50	100	00
	9 to 12 in., heavy, nursery-grown	. 2	00	18	00	160	00
	1 to $1\frac{1}{2}$ ft., heavy, nursery-grown	. 3	50	32	50		
	$1\frac{1}{2}$ to 2 ft., heavy, nursery-grown	. 5	00	40	00		
	9 to 18 in., clumps, nursery-grown	10	00	90	00	750	00
	$1\frac{1}{2}$ to 2 ft., clumps, nursery-grown	. 16	00	135	00	1300	00
	2 to 3 ft., clumps, nursery-grown	.25	00	200	00	1750	00
	3 to 4 ft., clumps, nursery-grown	.40	00	375	00		
	4 to 5 ft., clumps, nursery-grown	.60	00				
	1 to 2 ft., "collected" clumps	.10	00	80	00	700	00
	2 to 3 ft., "collected" clumps	.15	00	130	00	1000	00
	3 to 4 ft., "collected" clumps	.25	00	220	00		
	4 to 5 ft., "collected" clumps			350	00		

*Rhododendron maximum THE GREAT AMERICAN ROSEBAY

Perfectly Hardy in the Latitude of Quebec

Rhododendron maximum is, without doubt, the noblest of American broad-leaved shrubs. It is found growing sparingly in New England and New York, more abundantly in the Pennsylvania mountains, but reaching perfection only in the Southern Alleghany mountains where it grows in such luxuriance as to form a striking feature in the mountain landscape. Its large, waxy white or delicately pink flowers appear in large trusses in July, the latest of all the Rhododendrons, greatly enhancing its ornamental value as a broad-leaved evergreen for finished landscape effect.

Not even in Asia do Rhododendrons grow more luxuriantly than in our Southern Alleghany Mountains, where they attain a height of 30 feet or more. They must be seen in their native lavishness of growth and bloom, on the mountain-sides or hanging over the dashing ice-cold streams and water-falls, to be properly appreciated, and a trip to the high Carolina mountains in spring and early summer is a never-to-be-forgotten series of joys to the lover of nature.

In our northern gardens Rhododendron maximum (and other species to a small extent) is subject to damaging attacks from the lace-wing fly, particularly in sunny locations. We recommend an emulsion of five to ten pounds of whale-oil soap and one to two quarts of kerosene to 100 gallons of water, used with a spray pump

r a fine nozzle.	Per 10	100	1.000
3 to 6 in., nursery-grown	.\$0 75	\$6 00	\$50 00
6 to 9 in., nursery-grown		8 00	60 00
9 to 12 in., nursery-grown	. 1 25	10 00	90 00
1 to $1\frac{1}{2}$ ft., nursery-grown	. 2 00	18 00	160 00
$1\frac{1}{2}$ to 2 ft., nursery-grown	. 4 00	35 00	
1 to 1½ ft., clumps, nursery-grown	. 7 00	60 00	500 00
1½ to 2 ft., clumps, nursery-grown	.12 00	100 00	
2 to 3 ft., clumps, nursery-grown	.17 50	150 00	
3 to 4 ft., clumps, nursery-grown	.35 00		
1 to 2 ft., "collected" clumps	. 8 00	70 00	650 00
2 to 3 ft., "collected" clumps	.12 50	100 00	850 00
3 to 4 ft., "collected" clumps	.20 00	160 00	1400 00
4 to 5 ft., "collected" clumps	.30 00	275 00	2500 00
5 to 6 ft., "collected" clumps		400 00	
6 to 7 ft., "collected" clumps	.65 00	540 00	

*Rhododendron carolinianum (punctatum)

The smallest Alleghanian species, though it often attains a height of 15 feet and is wide-spreading. A very graceful shrub, with totally different aspect from the two species preceding. Leaves dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either maximum or catawhiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standing exposure unusually well, and invaluable as a single specimen or for massing with the other species.

Until this year we have been sending this beautiful and rare species out under the name of punctatum. Prof. Sargent has recently called attention to the fact that it is a distinct species from the punctatum, differing in time of bloom, with more showy and profuse flowers, and making a much larger and finer plant than the punctatum.

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY



Rhododendron carolinianum (punctatum)

RHODODENDRON CAROLINIANUM (punctatum), continued It is now known as **Rhododendron carolinianum**, being described and named by Alfred Rehder, Arnold Arboreum, Jamaica Plain, Mass.

	Per 10	100	1,000
6 to 9 in., nursery-grown	.\$2 50	\$22 50	
9 to 12 in., nursery-grown	. 4 00	35 50	
1 to 1½ ft., nursery-grown	. 6 00	50 00	
1½ to 2 ft., nursery-grown	. 8 50	75 00	
9 to 12 in., clumps, nursery-grown	10 00	90 00	
1 to 1½ ft., clumps, nursery-grown.	.12 50	110 00	
$1\frac{1}{2}$ to 2 ft., clumps, nursery-grown	.25 00	200 00	
2 to 3 ft., clumps, nursery-grown	.40 00		
3 to 4 ft., clumps, nursery-grown	.60 00		

Rhododendrons and Kalmias Delivered at Your Station by the Carload

"Collected" and Nursery-grown

For the area covered and effect produced, a "carload" of Rhododendrons, or Kalmias are the cheapest landscape propositions offered. I am offering an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept "cheap" stock, thrown into cars without burlaping and with the fine, hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end.

Rhododendron maximum and R. catawbiense

In mixed car, delivered free at any station east of Mississippi River. Car containing 150 maximum and 150 catawbiense, "collected" as above. $1\frac{1}{2}$ - to 4-ft. clumps—a total of 300—for \$400. Car containing 250 maximum and 250 catawbiense, $1\frac{1}{2}$ - to 4-ft. clumps—a total of 500—for \$600. Twenty-five years' experience growing "American Plants" is at the ser-

vice of our customers.

Rhododendron catawbiense, "collected"

Each plant from the open and burlaped. Prices f. o. b. your station, if east of the Mississippi River. Car containing 200 clumps, $1\frac{1}{2}$ to $3\frac{1}{2}$ ft., for. \$280 Car containing 300 clumps, $1\frac{1}{2}$ to $3\frac{1}{2}$ ft., for. 390 Car containing 400 clumps, $1\frac{1}{2}$ to $3\frac{1}{2}$ ft., for. 480 Car containing 600 clumps, $1\frac{1}{2}$ to $3\frac{1}{2}$ ft., for. 650 Other combinations and sizes gladly quoted.

It is the dream of every plant-lover to have, some day, a "Rhododendron Bed" and all that this implies. By following instructions given in our Descriptive Catalogs, you are assured success.

EVERGREENS ARE MARKED WITH A STAR (*)

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY

Rhododendron maximum

Rhododendron maximum, Extra Specimens

For those wishing perfect specimens I can supply a few cars of "collected," extremely heavy plants. Price on request.

Highlands Nursery grows and ships hundreds of thousands and is American headquarters for native plants.

Kalmia latifolia by carload

Rhus aromatica. 6 to 12 in.....

Each specimen burlaped, and highest-class clumps "collected" from open, delivered free at your station, if east of Mississippi River.

Car, containing 400 clumps, 1 to 3½ ft., for \$375. Kalmia may be added to help fill any Rhododendron car at \$1 per clump.

25,000 nursery-grown plants in all sizes. See free catalog.

At the same cost, nothing approaches our magnificent hardy American Rhododendrons and other native broad-leaved evergreens for splendid foliage and flower effects.

Best Plants for the Rhododendron Beds and for Ground-Cover

Some of the most successful are Andromeda polifolia, Chamædaphne calyculata, Dendrium buxifolium, D. prostratum, Ilex glabra, Leucothoe catesbæi, Pieris floribunda, Taxus minor, Galax aphylla, Gaultheria procumbens, Houstonia serpyllifolia, Mitchella repens, Shortia galacifolia, Vinca minor, V. minor alba, Xanthorrhiza apiifolia, Lilies, Trilliums, Erythroniums, Ferns, Dicentra eximia, Iris ato. Iris, etc.

Per 10 100 1,000 .\$1 25 \$10 00 \$90 00

Kilus arom			7 50
	1 to 2 ft		7 50
	a. 1 to 2 ft		0 00
	2 to 3 ft		5 00
	3 to 4 ft		2 50
	es. Southern Smoke Tree. 15 to 30 ft		
duction	to our list of lawn trees. Very rare	e, and for	and only in a
few loc	alities in the Alabama and Missouri	mountain	s. While the
"smoke	" as the fruit is known, is not so co	nspicuou	s as the ordi-
nary "	Smoke Tree," it is a far finer shrub of	or small f	ree, perfectly
hardy	with very beautiful, large, glossy leave	es .	roo, porroom,
	ens from 2 to 10 ft., at \$1.50 to \$5 each		
ъресш			1,000
	0 + 10 -	1 00 6	
giabra.	6 to 12 in	1 00 3	8 50
			2 50
hirta (ty			0 00
	2 to 4 ft		2 50
	4 to 6 ft		0 00
Robina his	oida. 6 to 12 in	1 00	8 50
viscosa.	3 to 4 ft	2 00	
	4 to 6 ft	3 00	
		3 00	
		1 50 1	2 50
	1 to 2 ft		7 50
	6 to 12 in		4 00
			7 00 \$60 00
	1 to 2 ft		0 00 90 00
			8 50
			5 00
		1 50	0 70
			8 50
			2 50
	2 to 3 ft 2		7 50
nitida.	6 to 12 in		0 00 90 00
	1 to 2 ft	1 75 1	5 00
woodsii.	6 to 12 in	2 50	
	densis. 1 to 3 ft	75	6 00
	s. 6 to 12 in	2 50 20	00
401101010			2 50
*hignidus	1 to 2 ft		5 00 40 00
laginiati	is. 1 to 3 ft	2 50	, 00 =00
odoratus	6 to 12 in		3 00
	1 to 2 ft		8 00
	lis. 6 to 12 in		, 00
		1 00	
	eanadensis. 6 to 12 in		5 00
			3 50 3 50
	1 to 2 ft		
	6 to 12 in 1		
	l to 2 ft 1	1 50 12	2 50

KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

TREES, SHRUBS AND VINES,		ed	
Sorbus (Pyrus) americana, Mountain Ash. 3 to 4 ft	Per 10	100 \$17 50	1,000
4 to 6 ft	. 4 00		\$30 00
junceum. 1-yr. seedlings	75	6 00	400 00
salicifolia. 2 to 4 ft. clumps	2 00	17 50	
Spartium scopulorum. 1-yr. seedlings. junceum. 1-yr. seedlings. Spiræa opulus. 2 to 4 ft salicifolia. 2 to 4 ft. clumps. tomentosa. 1 to 2 ft tomentosa alba. 1 to 2 ft Stuartia pentagyna. Southern Stuartia. 6 called "American Camellia," is one of the	1 50	12 50	the se-
called "American Camelia," is one of the	e most ra	are and h	peautiful
211 00 11111111111111111111111111111111	1	e, creamy	petals,
1 to 2 ft	.\$2 50	\$22 50	1,000
2 to 3 ft 3 to 4 ft	. 6 50	\$22 50 37 50 62 50	
axiliary nowers, 3 to 4 inches across, wi deeply crenulated in the margins. 1 to 2 ft	. 5 00	100 00	
Styrax japonica. 4 to 6 ft. 6 to 8 ft. Symphoricarpos occidentalis. 1 to 2 ft. pauciflora. 1 to 1½ ft. *Taxus minor (canadensis). Canadian Yew. 6 to 12 in. Tecoma grandiflora. Strong. radicans. 1 to 2 ft. Tilia heterophylla. 4 to 6 ft. 6 to 8 ft. *Tsuga canadensis. Canadian Hemlock. 6 to 12 in.	. 2 00		
*Taxus minor (canadensis). Canadian Yew.	. 2 00		
Tecoma grandiflora. Strong	. 2 75	25 00	
radicans. 1 to 2 ft Tilia heterophylla. 4 to 6 ft	. 1 00		
6 to 8 ft*Tsuga canadensis. Canadian Hemlock.	. 5 00		
$\begin{array}{c} 6 \text{ to } 12 \text{ in.} \\ 1 \text{ to } 1^{\frac{1}{2}} \text{ ft.} \end{array}$. 1 25	$\begin{array}{ccc} 10 & 00 \\ 12 & 50 \end{array}$	\$90 00 110 00
$\begin{array}{c} 1 \text{ to } 1\frac{1}{2}\text{ ft.} \\ 1\frac{1}{2}\text{ to } 2\text{ ft.} \\ 2 \text{ to } 3\text{ ft.} \end{array}$. 3 00	$\frac{27}{40} \frac{50}{00}$	225 00 450 00
3 to 4 ft	. 10 00	90 00 150 00	800 00
5 to 6 ft	.25 00	200 00	
*caroliniana. Carolina Hemlock. 40 to 80 ft.	This gra	and new I	Hemlock
a height of 40 to 80 feet. Its dense, dark	foliage a	nd gracef	ul habit
specimens are to be seen in the Arnold Ar	boretum,	and are	the first
*caroliniana. Carolina Hemlock. 40 to 80 ft. introduced by us, possesses a distinct pyra a height of 40 to 80 feet. Its dense, dark are approached only by the finer Japane specimens are to be seen in the Arnold Ar plants of this Hemlock ever sent out, bein C. S. Sargent, in 1884.	Per 10	100	1,000
3 to 4 ft	. 30 00		
3 to 4 ft	. 80 00		
Vaccinium corymbosum. 1 to 2 ft., clumps			
Vaccinium corymbosum. 1 to 2 ft., clumps 2 to 3 ft., clumps erythrocarpon. 1 to 2 ft hirsutum. 6 to 12 in *macrocarpon (oxycoccus). American C border plant, along edges of streams or pc it is unequaled. Thrives in ordinary gar a few inches high. Foliage turns rich shac autumn, and, with the scarlet fruit, pre the year round. Over 20,000 plants supplie at our suggestion, with beautiful results.	. 6 00	\$17 50	
*macrocarpon (oxycoccus). American C	ranberry	. 8 in.	As a
it is unequaled. Thrives in ordinary gard	den soil,	as a bog forming	a carpet
a few inches high. Foliage turns rich shace autumn, and, with the scarlet fruit, pre-	esents a	charmin	g effect
at our suggestion, with beautiful results.	Per 10	to a singl	1,000
at our suggestion, with beautiful results. Clumps	. \$0 75	φυ υυ	\$50 00
Clumps. oxycoccus. Small Cranberry. 1 to 1½ ft pallidum. 1 to 2 ft 1 to 2 ft., clumps. 2 to 3 ft., clumps. pennsylvanicum. 3 to 6 in. 6 to 12 in. stamineum. 6 to 12 in. 1 to 1½ ft 1 to 1½ ft 1 to 1½ ft., clumps. 1½ to 2 ft., clumps. Viburnum acerifolium. 6 to 12 in. 1 to 2 ft., clumps.	. 2 00	17 50 27 50 37 50	
2 to 3 ft., clumps pennsylvanicum. 3 to 6 in	. 4 00	15 00	
6 to 12 instamineum. 6 to 12 in	. 2 50	$\frac{22}{10} \frac{50}{00}$	
1 to 1½ ft	. 2 00	$\frac{17}{32} \frac{50}{50}$	
Viburnum acerifolium. 6 to 12 in	. 4 50	6 00	\$50 00
1 to 2 ft	. 1 25	$10 00 \\ 15 00$	**
2 to 3 ft	. 2 50	22 50 35 00	
4 to 5 ft cassanoides. 6 to 12 in	. 6 00	8 50	75 00
1 to 2 ft	. 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	100 00
3 to 4 ft	. 4 00	37 50 10 00	
2 to 3 ft	. 1 75	$15 00 \\ 22 50$	
molle. 1 to 2 ft	. 1 50	12 50	
lantana. 1 to 2 ft	. 2 00		
oxycoccus. 1 to 2 ft	. 1 50		
3 to 4 ft prunifolium. 2 to 3 ft	3 50		
3 to 4 ft	. 4 50	17 50	

TREES, SHRUBS AND VINES, continued

TREES, STROBS AND VINES, continued	
Xanthorrhiza apiifolia. Yellow-root. 1 to 4 ft. Undoubt finest American undershrub for planting under trees, alor ways, walks and borders, or where conditions of extreme: prevail. Finely cut foliage remains a good green till autumn turns shades of orange and yellow. Now used by thou	ng road- moisture ; when it sands in
parks and private grounds. Peculiar brown-purple flowers	
dulous racemes, appear early. Per 10 100	1,000
3 to 6 in\$0 50 \$4 00	\$30 00
6 to 12 in	40 00
3 to 6 in., clumps	60 00
6 to 12 in., clumps 1 25 10 00	90 00
1 to $1\frac{1}{2}$ in., clumps	
Xolisma ligustrina. 6 to 12 in	
1 to 2 ft 1 50 12 50	

Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants.

		10	100	1,000
Acorus calamus	\$1	00	\$8 00	
Actæa alba	i	75 50	16 00	
rubra	1	25	20 00 10 00	
tricocceum	∷i̇́	00	10 00	
Amsonia amsonia. Clumns	i	00	8 00	
Amsonia amsonia. Clumps. Apocynum androsæmifolium	. î	00	0 00	
Aquilegia canadensis	î	00	8 00	
chrysantha	ī	25	10 00	
Aquilegia canadensis. chrysantha. Aralia nudicaulis.		75	6 00	
racemosa. Clumps	1	00	8 00	
Archangelica hirsuta		75	6 00	
Arisæma triphyllum	1	00	8 00	
Artemisia frigida	2	50		
gracilis	2	50		
Aruncus (Spiræa) aruncus	1	00	8 00	
Asarum macranthum	1	00		
Asters, in variety: corditonus curtisii, macr	1	00	6 00	
Actilho docandra	. 1	00	0 00	
phyllus, puniceus, umbellatus	. 1	00	8 00	
Bicuculla (Dicentra) canadensis	1	00	7 00	
cucullaria	1	00	7 00	
eximia	: i	25	10 00	
Cacti, Hardy Species. Echinocactus mi	s- 1		10 00	
souriensis, Echinocereus viridifloru	S.			
Onuntia arenaria. Onuntia camanchic	я.			
Opuntia major, Opuntia mesacanth	ıa			
cymochia, Opuntia mesacanti	ıa			
greenii, Opuntia polyantha	. 5	00	35 00	
Echinocactus, Perpetual Snow	7	00		
Calopogon. See Limodorum.		=0		
Caltha leptosepala. Marsh Marigold	1	50	0.00	
Campanula divaricata	1	00	8 00	
Carex Iraseri	1	25	10 00	
Cassia marylandica		75	6 00	
*Carex fraseri Cassia marylandica Caulophyllum thalictroides. "Collected". Chamælirium luteum.	$\begin{array}{ccc} & 1 \\ & 1 \end{array}$	00	8 00	
Chelone glabra	. 1	00	8 00 8 00	
lyoni	. 1	00	8 00	
Chrosperma muscætoxicum	1	75	6 00	
Cienta maculata	1	00	0 00	
Cicuta maculata	î	00	8 00	
racemosa		75	6 00	
racemosa. Clematis coccinea.	3	00	25 00	
crispa	2	75	20 00	
douglasii	5	00		
fremontii ligusticifolia	5	00		
ligusticifolia	3	00	0.00	
virginiana	1	00	6 00	
		75	6.00	
*Clintonia umbellata Convallaria majalis. Coreopsis lanceolata. Clumps.		75 75	6 00 5 00	
Coreonsis langeolata Chumps		75	6 00	
major		75	6 00	
rosea. Clumps	1	00	8 00	
verticillata	$\vec{1}$	00	8 00	
Cypripedium acaule. Light		75	5 00	\$40 00
major. rosea. Clumps. verticillata. Cypripedium acaule. Light. Strong.	1	25	10 00	70 00
californicum	4	50	20 00	
hirsutum. Light. hirsutum. Strong		75	5 00	40 00
hirsutum. Strong	1	25	10 00	80 00
parviflorum Today's Slinn	1	25	10 00 Th	o hond
parviflorum. reginæ (spectabile). Showy Lady's Slippe somest and one of the rarest of hardy or sepals and petals are pure white, while is a beautiful soft red-rose. A strong gro Succeeds well in the rhododendron bed early July. 1 to 2 crowns.	er.	to	he broad	w oveto
canals and notals are nurs white while	the	lara	e inflated	nough
is a heautiful soft red-rose A strong gro	Wer.	nref	erring no	at soils
Succeeds Well in the rhododendron hed	or ir	the	hog. Ji	ine and
early July.	Pe	r 10	100	1,000
1 to 2 crowns	\$2	50	\$20 00	-,
3 to 4 crowns. 5 to 6 crowns.	6	00	50 00	
5 to 6 crowns	10	00	80 00	

KELSEY'S - Hardy American Plants - Rhododendrons and Azaleas CATALOG OF HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIALS, continu	ied	1 000
Dionæa muscipula. Venus' Fly-trap\$1 00 \$8	100 3 00 7 00	1,000
Disporum lanuginosum 1 25	00	
*Epigæa repens. Trailing Arbutus. "Collected"		\$100 00
Erythronium albidum 1 50		16 00
Eupatorium ageratoides, perfoliatum and	00	20 00
Euphorbia corollata	00	
Ferns, Hardy Native Species	00	1 000
Adiantum pedatum\$1 25 \$10	00	1,000
Thelypteroides	00 00 7 00	
	00	
	3 00 3 00	\$50 00 60 00
angustifolia 1 25 goldianum 1 25	00 (
*munitum 3 00 28	3 00 5 00	60 00
*spinulosa	3 00 3 00	60 00
thelypteris	3 00 3 00	
	2 00	100 00
*Polypodium vulgare 75	3 00 3 00	35 00
Galax aphylla. Established clumps	5 00 2 00 3 00	30 00 90 00 50 00
	3 00	50 00
Glechoma (Nepeta) hederacea. "Collected." 75	5 00	$\frac{40\ 00}{35\ 00}$
Strong	6 00 6 00	50 00
Goodyera. See Peramium. Habenaria ciliaris	3 00	
peramœna 1 75 1	8 00 5 00	
Helianthus strumosus 1 00	8 00	
*Helonias bullata. 1 00 Hepatica acuta. 1 00 Heuchera americana and villosa 1 00	8 00 8 00 8 00	
Hibiscus, "Crimson-eye" and rose-pink 1 00	8 00 8 00	40 00
Humulus lupulus 1 00	3 00 3 00	10 00
*Iris cristata. Clumps 1 50 1	00 2 00	80 00
pseudacorus 1 00	8 00	
Lacinaria (Liatris) pycnostachya 1 00	8 00 8 00	
spicata 1 00 spicata pumila 1 00	8 00	
Liatris. See Lacinaria. Lilies		
Should always be andered in apping or aummon for	fall s	hipment
where possible. Many species are exhausted early and ship or transplant well in the spring. L. superbum, L. L. carolinianum thrive planted in March, April or September and October planting is preferable.	canad May	ense and
September and October planting is preferable. Per 10	100	1,000
1st size 1 00	5 00	\$36 00 60 00
carolinianum. 3rd size 60	2 50 5 00	
1st size 1 50 1	8 00 2 00 8 00	
1st size 1 50 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	100 00 18 00
2nd size	5 00 8 00	35 00 60 00
Limodorum (Calopogon) tuberosum 1 50 1 Light	2 00 8 00	
Lobelia cardinalis and syphilitica	8 00 8	
Menispermum canadense. Moonseed 75	8 00 6 00	
Mimulus ringens 1 00	2 00	60.00
Mitchella repens. "Collected" clumps 1 00 EVERGREENS ARE MARKED WITH A STAI	8 00 R ()	60 00

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF HIGHLANDS NURSERY

HARDY HERBACEOUS PERENNIALS, co	ntinued	
Managa diduma	100	1,000
Monarda didyma	\$10 00 75 00	
Enothera brachycarpa 3 00		
cæspitosa	16 00	
Orontium aquaticum		
Panax (Aralia) quinquefolium. 3rd size	6 00 10 00	\$50,00 90 00
1st size	15 00	125 00
X size	22 00	
*Peramium (Goodyera) pubescens and repens. 1 75	35 00	
Phlox pilosa 1 00	8 00	
*subulata alba	6 00	
Podophyllum peltatum	6 00	
Podophyllum peltatum	6 00	
Polygonum clinode	8 00 5 00 8 00 8 00	
Porteranthus (Gillenia) stipulatus 1 00	8 00	
*Potentilla tridentata 1 00 Rhexia virginica 1 00 Sanguinaria canadensis. Bloodroot. Strong 75	8 00	
Sanguinaria canadensis. Bloodroot. Strong 75	6 00	3 6 00
*Sarguinaria is shipped entirely at consignee's risk.		
*Sarracenia catesbæi, drummondii, flava, psittacina and rubra	15 00	
*purpurea 1 50	12 00	
Saxifraga micranthidifolia 1 50 michauxii 1 50	12 00	
~ * . * * . * . *	8 00	
*Shortia galacifolia. 2nd size	18 00 35 00	
Silene stellata	8 00	
virginica	10 00	
Sedum telephoides and ternatum		
	8 00	\$65 00
Stachva aspera	20 00 6 00	
Steironema ciliatum, quadrifolium and teres-		
tris. Stenanthium robustum. Mountain Feather Fleece. with extremely showy panicles. This is one of ductions, and is, without doubt, a plant that will cands when known. The pure white flowers are	3 to 5 f	t. Tall.
with extremely showy panicles. This is one of	our recer	nt intro-
sands when known. The pure white flowers are	be used I borne on	graceful
sands when known. The pure white flowers are compound panicles, often 2 to 3 feet long, and	be used borne on a clump	graceful of these
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo	a clump us plants	of these of any
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. Per 10 3rd size\$1 00	a clump us plants 100 \$8 00	of these of any 1,000 \$60 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size\$1 00	a clump us plants 100 \$8 00 12 50	of these of any 1,000
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size\$1 00	a clump us plants 100 \$8 00 12 50 26 00	of these of any 1,000 \$60 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. Per 10 3rd size. \$1 00 2nd size. 1 50 1st size. 3 00 Stokesia cyanea. 1 00 Thalictrum dioicum 80 Thermosis cardiniana Strong 1 00 Thermosis cardiniana Strong 1 00 100	a clump us plants 100 \$8 00 12 50 26 00 6 00	of these of any 1,000 \$60 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. Per 10 3rd size. \$1 00 2nd size. 1 50 1st size. 3 00 Stokesia cyanea. 1 00 Thalictrum dioicum 80 Thermosis cardiniana Strong 1 00 Thermosis cardiniana Strong 1 00 100	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00	of these of any 1,000 \$60 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size. 2nd size. 1 50 2nd size. 3 00 Stokesia cyanea. 1 00 Thalictrum dioicum. 80 Thermopsis caroliniana. Strong. 1 00 Light. 60 Therofon acontitiolia. 75	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 6 00	of these of any 1,000 \$60 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size. \$1 00 2nd size. \$1 00 Ist size. \$3 00 Stokesia cyanea \$1 00 Thalictrum dioicum \$80 Thermopsis caroliniana. Strong \$1 00 Light. \$60 Therofon acontitiolia \$75 Tradescantia montana \$1 00 Trantvetteria carolinensis \$1 25	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00	of these of any 1,000 \$60 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. Per 10 3rd size. \$1 00 2nd size. \$1 00 2nd size. \$3 00 Stokesia cyanea. \$1 00 Thalictrum dioicum. \$80 Thermopsis caroliniana. Strong \$1 00 Light. \$60 Light. \$60 Charles the condition of th	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 6 00 8 00 3 00	of these of any 1,000 \$60 00 100 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description.	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 6 00 8 00	of these of any 1,000 \$60 00 100 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by feet herbaceo description.	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 8 00 3 00 5 00 10 00 1 50	18 00 30 00 12 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description.	a clump plants 100 \$8 00 12 50 26 00 6 00 8 00 6 00 8 00 5 00 6 00 8 00 5 00 10 00 10 00	of these of any 1,000 \$60 00 100 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description.	a clump us plants 100	18 00 30 00 12 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size. \$1 00 2nd size. \$1 50 Ist size. \$3 00 Stokesia cyanea \$1 00 Thalictrum dioicum \$80 Thermopsis caroliniana. Strong \$1 00 Light. 60 Therofon acontitiolia \$75 Tradescantia montana \$1 00 Trautvetteria carolinensis \$1 25 Trillium erectum. 2nd size \$40 List size. \$75 erectum album \$1 25 grandiflorum. 2nd size \$60 nivale. \$1 25 recurvatum \$1 25 recurvatum \$1 25 recurvatum \$1 25 stylosum. 2nd size. 60	a clump s plants 100 \$8 00 12 50 26 00 8 00 5 00 8 00 5 00 6 00 8 00 10 00 1 50 3 50 10 00 1 50 3 50	18 00 30 00 12 00 20 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size. \$1 00 2nd size. 1 50 Ist size. 3 00 Stokesia cyanea 1 00 Light. 60 Theorem aconitifolia 57 Tradescantia montana 1 00 Trautvetteria carolinensis. 1 25 Trillium erectum. 2nd size. 40 1st size. 75 erectum album. 1 25 grandiflorum. 2nd size. 60 nivale. 1 25 stylosum. 2nd size. 60 1st size. 60 1st size. 60 nivale. 1 25 stylosum. 2nd size. 60 1st size. 60 1st size. 60 1st size. 60 1st size. 60 nivale. 1 25 stylosum. 2nd size. 60 1st size. 60	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 6 00 8 00 10 00 1 50 10 00 1 50 10 00 1 50 1 5	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size. \$1 00 2nd size. 1 50 Ist size. 3 00 Stokesia cyanea 1 00 Light. 60 Theorem aconitifolia 57 Tradescantia montana 1 00 Trautvetteria carolinensis. 1 25 Trillium erectum. 2nd size. 40 1st size. 75 erectum album. 1 25 grandiflorum. 2nd size. 60 nivale. 1 25 stylosum. 2nd size. 60 1st size. 60 1st size. 60 nivale. 1 25 stylosum. 2nd size. 60 1st size. 60 1st size. 60 1st size. 60 1st size. 60 nivale. 1 25 stylosum. 2nd size. 60 1st size. 60	a clump as plants 100 \$8 00 12 50 12 50 6 00 6 00 8 00 5 00 6 00 8 00 10 00 1 5 00 1 5 00 1 5 00 1 5 00 1 5 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00	18 00 30 00 12 00 66 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size. \$1 00 2nd size. 1 50 Ist size. 3 00 Stokesia cyanea 1 00 Light. 60 Thalictrum dioicum 80 Thermopsis caroliniana. Strong 1 00 Light. 60 Therofon aconitifolia 75 Tradescantia montana 1 00 Trautvetteria carolinensis. 1 25 Trillium erectum. 2nd size. 40 1st size. 75 erectum album. 1 25 grandiflorum. 2nd size. 30 Ist size. 60 nivale. 1 25 recurvatum 1 25 stylosum. 2nd size. 60 nivale. 1 25 recurvatum 1 25 stylosum. 2nd size. 60 1st size. 60 List size. 60 Ist size. 60 Triotecum perfoliata and sessili-	a clump as plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 6 00 8 00 1 00 1 00 1 00 1 00 4 00 8 00 4 00 6 00	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump us plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 6 00 8 00 10 00 1 5 00 10 00 1 5 00 10 00 1 5 00 10 00 1 5 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump splants 100 \$8 00 6 00 8 00 5 00 6 00 8 00 5 00 1 5 00 1 5 00 1 5 00 1 5 00 4 00 8 00 4 00 6 00 8 00	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump as plants 100 \$8 00 12 50 26 00 6 00 8 00 5 00 6 00 8 00 10 00 1 50 3 00 1 50 3 00 1 50 3 00 6 00 8 00 8 00 8 00 8 00 8 00 8 00 8	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump us plants 100 \$8 00 12 50 6 00 8 00 5 00 6 00 8 00 5 00 10 00 1 50 3 50 10 00 4 00 8 00 4 00 8 00	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size. \$1 00 2nd size. \$1 00 2nd size. \$1 00 3rd s	a clump splants 100 \$8 00 \$6 00 \$8 00 \$6 00 \$8 00 \$7 00 \$1 0	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump us plants 100 \$8 00 12 50 6 00 8 00 5 00 6 00 8 00 5 00 10 00 1 50 3 50 10 00 4 00 8 00 4 00 8 00	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump splants 100 \$8 00 \$6 00 \$8 00 \$6 00 \$8 00 \$7 00 \$1 0	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump splants 100 \$8 00 \$6 00 \$8 00 \$6 00 \$8 00 \$7 00 \$1 0	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump us plants 100 \$8 00 12 50 00 6 00 8 00 5 00 6 00 8 00 5 00 10 00 1 50 0 1 50 0 1 50 0 8 00 15 00	18 00 30 00 12 00 20 00 40 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump us plants 100 \$8 00 12 50 00 6 00 8 00 5 00 6 00 8 00 5 00 10 00 1 50 0 1 50 0 1 50 0 8 00 8 00 4 00 8 00 8 00 8 00 8	18 00 30 00 12 00 60 00 30 00
compound panicles, often 2 to 3 feet long, and plants makes a show equaled by few herbaceo description. 3rd size	a clump us plants 100 \$8 00 12 50 6 00 8 00 5 00 6 00 8 00 5 00 10 00 1 50 3 50 10 00 4 00 8 00 8 00 8 00 8 00 8 00 1 50 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 1 50 8 00 8 00 1 50 8 00 8 00 1 50 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00 8 00	18 00 30 00 12 00 20 00 40 00


HARLAN P. KELSEY, Owner

Cable Address KELMONT - SALEM SALEM, MASS., U. S. A.

Fall, 1912: CATALOG: Spring, 1913

Salem and Boxford Nurseries

Kelsey's Hardy American Plants



Successful Rhododendron oval at State Normal School, Salem.
"Fillers" used are Lilies, Azaleas, Xanthorrhiza,
Ferns, Violets, etc.

Salem Nurseries Shipments are made from Salem. Mass.

Nurseries Shipments are made from East Boxford, Mass., freight station.

From both Nurseries deliveries may be arranged for by truck to points along the North Shore and the vicinity of Boston.

Prices at our Salem and Boxford Nurseries are about 25 per cent higher than at our Highlands Nursery, the difference representing freight and other costs.

Specimen Stock. There is a demand for fine specimen stock in Conifers, Rhododendrons, Kalmias, Andromedas and other evergreens, and our local Nurseries are established to supply just this need which has been so long felt.

Prices are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground Frequent transplanting and handling specimens, with adequate burlaped balls, means success and quick results. It costs more, but it is the fixed policy of our Salem and Boxford Nurseries; and "cheap" stock will not be handled or sent out. **The best is always the** cheapest.

Visitors are always welcome, and arrangements may be made by telephone (Salem 820) to meet Mr. Kelsey personally at either Nursery.


Always address:

HARLAN P. KELSEY

287 Essex Street, Salem, Mass., U. S. A.

OWNER

Salem Nurseries, Salem, Mass. Boxford Nurseries, East Boxford, Mass. Highlands Nursery, Saginaw, N. C.



Andromeda (Pieris) floribunda

A specialty at our Nurseries—native stock is vastly superior to the soft-wooded imported stuff.

Evergreen and Deciduous Trees and

Shurbs	Ea	o h	10	100
*Abies concolor. White Fir. 1 to 1½ ft			\$4 00	\$30 00
1½ to 2 ft		50	12 50	\$ 00 00
2 to 3 ft		50	20 00	
4 to 5 ft	6	00		
*douglasii. See Pseudotsuga.				
*fraseri. Fraser's Balsam Fir. 6 to 12 in		20	1 25	10 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		30 60	2 00 4 00	12 50 37 50
2 to 3 ft		50	10 00	90 00
3 to 4 ft	2	50	20 00	00 00
3 to 4 ftnordmanniana. Nordmanni's Fir. 2 to 3 ft.	. 3	00	25 00	
3 to 4 ft	. 4	00	35 00	
Acer polymorphum. Japanese Maple, assorted.				
1 to $1\frac{1}{2}$ ft	. 1	25	10 00	0 50
saccharum. Sugar Maple. 2 to 3 ft	2	50	$\frac{1}{20} \frac{00}{00}$	8 50
12 to 14 ft	. z	50	4 00	
Amelanchier botryapium. Shad Bush.		30	4 00	
2 to 3 ft		40	3 50	
5 to 7 ft		00	8 50	
Ampelopsis engelmanii. Strong, 2 years		40	3 50	30 00
heterophylla. 2 years		50	4 00	0, 00
quinquefolium. Strong		50	4 00	35 00
veitchii. Boston Ivy. Heavy	. 1	50 50	$\frac{4}{12} \frac{00}{30}$	35 00 100 00
1 to 1½ ft		00	17 50	150 00
Aralia pentaphylla. 2 to 3 ft		50	4 00	30 00
3 to 4 ft		75	6 00	50 00
Aristolochia sipho. 4 to 6 ft	. 1		12 50	
Aronia arbutifolia. 1 to $1\frac{1}{2}$ ft		50	4 00	30 00
3 to 4 ft			8 50	75 00
nigra. 1 to 2 ft	•	40	3 75 5 00	35 00 45 00
Azalea arborescens. 1 to $1\frac{1}{2}$ ft		60	5 00 8 50	45 00 75 00
$1 \text{ to } 1\frac{1}{2} \text{ ft., clumps.}$			12 50	100 00
$1\frac{1}{2}$ to 2 ft., clumps	$\hat{\cdot}$ $\hat{\hat{2}}$		22 50	200 00
gandavensis. Ghent Azalea, 1 to 1½ ft	. 1	25	10 00	
Iutea. Flame Azalea, 6 to 12 in		25	2 00	17 50
$\frac{1}{2}$ to $\frac{1}{2}$ ft		50	4 00	35 00
2 to 3 ft			12 50	100 00
3 to 4 ft	. 4	00 80	35 00 7 50	
mollis. 1 to $1\frac{1}{2}$ ft	. 1	00	8 50	
nudiflora. 6 to 12 in		30	2 50	20 00
1 to 1½ ft		60	5 00	40 00
vaseyi. 6 to 12 in		50	4 00	35 00
$1\frac{1}{2}$ to 2 ft		75	15 00	20.00
viscosa. I to 1½ ft	•	50 75	4 00 6 00	30 00
Heavier. 1 to 1½ ft Berberis thunbergii. 6 to 12 in	•	20	1 75	15 00
1 to 1½ ft		35	3 00	27 50
1½ to 2 ft		50	4 50	40 00
vulgaris. 1 to 2 ft		30	2 50	22 50
vulgaris purpurea. 2 to 3 ft		50	4 00	35 00
EVERGREENS ARE MARKED WITH	[A	SI	'AR (*)

ELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF SALEM AND BOXFORD NURSERIES

EVERGREEN AND DECIDUOUS TREES A	ND S	HRUBS	, con.
77 11 - 77 11 - 0 (0.5)	Each	10	100
Betula lutea. Yellow Birch. 6 to 8 ft Butneria florida. 2 to 3 ft	40	\$8 50 3 00	
*Buxus sempervirens. Box, Bush Form.	1 50	12 50 8	8100 00
1 to 1½ ft 1½ to 2 ft *pyramidal. 2 to 3 ft	2 00	17 50	100 00
*pyramidal. 2 to 3 ft	$\begin{array}{cccc} 2 & 00 \\ 4 & 00 \end{array}$	$\frac{17}{37} \frac{50}{50}$	
3 to 4 ft*standard and half standard.	4 00	0. 00	
1½ to 4 ft	$\begin{array}{cccc} 4 & 00 \\ 1 & 25 \end{array}$	10 00	
Carpinus caroliniana. Water Beech. 6 to 8 ft	1 00	8 50	75 00
*Chamæeyperis sphæroidea. 2 to 4 ft *Chamædaphne calyculata. "Collected" clumps Chionanthus virginica. 1 to 2 ft	1 00	$\begin{array}{c} 8 & 50 \\ 1 & 50 \end{array}$	12 50
Chionanthus virginica. 1 to 2 ft	30	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$	22 50 12 50
4 to 6 ft	2 50	22 50	12 00
Crategus ovvacantha. Double white 2 to 3 ft.	1 00	8 50	
3 to 4 ft oxyacantha, Paul's Scarlet. 2 to 3 ft 3 to 4 ft	1 50	$12 \ 50$	
3 to 4 ft	1 00	$\begin{array}{cc} 8 & 50 \\ 12 & 50 \end{array}$	
punctata. 3 to 4 ft	60	5 00 8 50	40 00
Deutzia crenata. 2 to 3 ft	. 40	3 50	
lemoinei. 2 to 3 ft	50	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	
*radicans. Strong 2 years	40	3 50	30 00
Forsythia fortunei. 2 to 3 ft	50	4 00 3 50	$\frac{35}{25} \frac{00}{00}$
*Broad-leaved Forsythia fortunei. 2 to 3 ft 3 to 4 ft intermedia. 2 to 3 ft	60	5 00 3 50 5 00	40 00 25 00
3 to 4 ft	60	5 00	40 00
3 to 4 ft		3 50 3 50	$\begin{array}{ccc} 25 & 00 \\ 25 & 00 \end{array}$
3 to 4 ft Fraxinus lanceolata. Green Ash. 6 to 8 ft Gaylussacia resinosa. "Collected" clumps	60	5 00	40 00
Gaylussacia resinosa. "Collected" clumps	1 00	$\begin{array}{ccc} 8 & 50 \\ 1 & 25 \end{array}$	10 00
Gleditschia triacanthos. 5 to 7 ft Hamamelis virginica. 4 to 5 ft Halesia tetraptera. Silver Bell. 3 to 4 ft	2 00	17 50	
Halesia tetraptera. Silver Bell. 3 to 4 ft	75	6 00 6 00	
4 to 5 ft		$\begin{array}{ccc} 10 & 00 \\ 5 & 00 \end{array}$	40 00
3 to 4 ft	1 00	8 50	10 00
3 to 4 ft. Ilex verticillata. 2 to 3 ft *Juniperus communis. 6 to 12 in	. 60 . 50	$\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$	30 00
1 to 1\frac{1}{2} ft. 1\frac{1}{2} to 2 ft. Specimens. \$2.50 to *virginiana. 1 to 2 ft.	1 25	10 00	90 00
Specimens \$2.50 to	1 75 10 00	15 00	
*virginiana. 1 to 2 ft	. 75	6 00	50 00
2 to 3 ft \$3 to \$3 to \$3 to \$3 to \$3 to \$3 to \$4 kalmia angustifolia. 1 to 2 ft., clumps "Collected" clumps \$1 to	$\begin{array}{ccc} & 1 & 50 \\ & 15 & 00 \end{array}$	12 50	
*Kalmia angustifolia. 1 to 2 ft., clumps	. 75	$\begin{array}{ccc} 6 & 00 \\ 1 & 50 \end{array}$	12 50
*latifolia. 9 to 12 in. 1 to 1½ ft 1½ to 2 ft., clumps. 1½ to 2 ft., clumps.	. 40	3 50	30 00
1 to 1½ tt	. 60	$\begin{array}{ccc} 5 & 00 \\ 7 & 00 \end{array}$	40 00 60 00
1 to 1½ ft., clumps	. 1 25	10 00	90 00
2 to 3 ft., clumps	. 2 00	$\frac{17}{27} \frac{50}{50}$	150 00
2 to 3 ft., clumps. Larix americana. 1 to 1½ ft *Ledum latifolium. "Collected" clumps	. 35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 25 & 00 \\ 12 & 50 \end{array}$
*Leucothoe catesbæi. 6 to 12 in., clumps	65	4 00	
*Leucothoe catesbæi. 6 to 12 in., clumps 1 to 1½ ft., clumps	. 1 00	8 50 15 00	$75 00 \\ 125 00$
Ligustrum ibota. 1 to 2 ft	. 35	3 00	25 00
*Linnæa borealis. "Collected" clumps	. 35 . 1 75	3 00 15 00	25 00
Ligustrum ibota. 1 to 2 ft regelianum. 1 to 2 ft *Linnæa borealis. "Collected" clumps Lonicera belgica. 1 to 2 ft japonica, var. halliana. 1 to 2 ft., heavy	. 40	3 50	25 00
japonica, var. naliiana. 1 to 2 ft., neavy morrowii. 3 to 4 ft tatarica. 3 to 4 ft	. 35 . 75	3 00 6 00	25 00
*Mahania jananica. 1 to 12 ft.	- 60	6 00 5 00	
Malus coronaria. 1 to 2 ft	. 60	5 00	
Malus coronaria. 1 to 2 ft Myrica gale. "Collected" clumps Oxydendrum arboreum. 1 to 2 ft	. 50	$\begin{array}{ccc} 1 & 50 \\ 4 & 00 \end{array}$	12 50
2 to 3 ft	. 75	6 00	00.00
*Picea alba. 2 to 3 ft	. 50 . 1 50	$\begin{array}{ccc} 4 & 00 \\ 12 & 50 \end{array}$	30 00 100 00
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50	150 00
2 to 3 ft *Pachysandra terminalis. Strong plants *Picea alba. 2 to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft *concolor. See Abies.	. 3 00	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$	
*concolor. See Abies. *excelsa. 3 to 4 ft.	. 1 25	10 00	90 00
		15 00	90 00
*mariana. 2 to 3 ft	. 1 50	$\frac{12}{17} \frac{50}{50}$	
*pungens. 3 to 4 ft	. 2 50	22 50	
		32 50	
*pungens glauca pendula. Specimens, 3 to 5 ft	0 6 00	00.70	200 25
Pungens Roster. I to $1\frac{1}{2}$ it	. 2 50 . 3 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	200 00 300 00
2 to 3 ft	. 4 50	40 00 50 00	
3 to 4 ft EVERGREENS ARE MARKED WITH	. 0 00	SAR (*)	
		- ()	



Tsuga carolinjanum

EVERGREEN AND DECIDUOUS TREES A	ND S Each	HBUBS	con.
		\$12 50	100
*Pinus austriaca. 3 to 4 ft		22 50	
*banksiana. 7 to 8 ft			
*cembra. 1 to 1½ ft		12 50	
4 to 5 ft., specimens	8 00	F 00	240 00
*divaricata. 1 to 2 ft	65	5 00	\$40 00
2 to 3 ft	80	7 00 8 50	60 00
3 to 4 ft	1 00		40.00
*flexilis. 1 to 2 ft	65	5 00	40 00
*murrayana. 2 to 3 ft	80	7 00	
*parviflora. 2½ to 3 ft	3 00	0.00	
*ponderosa. 6 to 12 in	25	2 00	
1 to 2 ft	50	4 00	
*pungens. 2 to 3 ft	60	5 00	
3 to 4 ft	1 00	8 50	
4 to 6 ft	1 50	12 50	
*rigida. 3 to 4 ft	1 00	8 50	
*strobus. 1 to 2 ft	35	3 00	25 00
2 to 3 ft	60	5 00	45 00
5 to 6 ft	3 50	30 00	
6 to 8 ft	4 50	40 00	
*sylvestris. 3 to 4 ft	1 50	$12 \ 50$	
*Pseudotsuga douglasii glauca. 3 to 4 ft	4 00		
*taxifolia. 6 to 12 in	50	4 00	30 00
1 to 2 ft	1 00	8 50	75 00
2 to 3 ft	2 00	17 50	150 00
3 to 4 ft	3 00	25 00	225 00
Quercus macrocarpa. 4 to 6 ft	1 50	12 50	
palustris. 8 to 10 ft	1 75	15 00	
prinus. 4 to 6 ft	75	6 00	
rubra. 4 to 6 ft	75	6 00	
*Rhododendron catawbiense. 6 to 9 in	30	2 50	22 50
1 to 1½ ft., clumps	1 75	17 00	125 00
$1\frac{1}{2}$ to 2 ft., clumps	2 50	22 50	200 00
2 to 3 ft., clumps	3 50	32 50	
3 to 4 ft	6 00	50 00	
4 to 5 ft., clumps	8 00	00 00	
3 to 6 ft., extra specimens, \$8 to			
*maximum. 9 to 12 in.	25	2 00	17 50
1 to 1½ ft	40	3 00	25 00
1) to 2 ft.	75	6 00	50 00
1 to 1 ft. clumps	1 00	9 00	80 00
1½ to 2 ft., clumps	1 75	15 00	125 00
2 to 3 ft., clumps	2 50	22 50	120 00
3 to 4 ft., clumps	4 00	37 50	
		01 00	
4 to 6 ft. specimens\$5 to 1 *carolinianum (punctatum.) 6 to 9 in	50	4 00	30 00
9 to 12 in	75		50 00
	1 50	12 50	100 00
9 to 12 in., clumps	2 00	17 50	150 00
1 to 1½ ft., clumps	3 50	32 50	100 00
1½ to 2 ft., clumps	0.00	50 00	
2 to 3 ft., clumps			
EVERGREENS ARE MARKED WITH	A ST	(*)	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

CATALOG OF SALEM AND BOXFORD NURSERIES

EVERGREEN AND DECIDUOUS TREES AND SHRUBS, con.

*Rhododendron Hybrids. Hardiest varieties, including the following:
Abraham Lincoln, album elegans, grandiflorum, caractacus,
catawbiense alba, everestianum, General Grant, Mrs. Milner
and others, according to size and selection, \$1.50 to \$4 each.

*Rhododendrons in Car-lots, for prices and
Highlands, Nursery, Catalog.

details see Highlands Nursery Catalog,		
page 11. Each	10	100
Rhus cotinoides. 6 to 8 ft\$3 to \$6 00		
Rosa rugosa. 1 to $1\frac{1}{2}$ ft	\$3 50	\$30 00
$1\frac{1}{2}$ to 2 ft	5 00	45 00
alba. 1 to $\hat{1}\frac{1}{2}$ ft	4 00	35 00
Sassafras officinale. 2 to 3 ft	6 00	
Spiræa Anthony Waterer. 1 to $1\frac{1}{2}$ ft	3 00	25 00
$1\frac{1}{2}$ to 2 ft 60	5 00	40 00
salicifolia. 1 to 2 ft., "Collected" clumps 1 75	15 00	
tomentosum. 1 to 2 ft., "Collected" clumps. 1 25	10 00	
thunbergii. 2 to 3 ft	4 00	30 00
van houttei. 2 to 3 ft	4 00	30 00
3 to 4 ft 75	6 00	50 00
Stephanandra flexuosa. 2 to 3 ft	6 00	
Stuartia pentagyna. 1 to 2 ft 1 00	8 50	
Symphoricarpos racemosus. 3 to 4 ft	6 00	50 00
vulgaris. 2 to 3 ft	4 00	30 00
Syringa vulgaris. 1 to 2 ft., clumps	3 00	25 00
3 to 4 ft., clumps	6 00	50 00
alba. $1\frac{1}{2}$ to 2 ft., clumps	3 00	25 00
2 to 3 ft., clumps 1 00	8 50	75 00
3 to 4 ft., clumps	12 50	100 00
Named Varieties. 1 to 3 ft50 cts. to 1 50	4 00	00.00
Taxus canadensis. 6 to 8 in	4 00	30 00
8 to 10 in	6 00	50 00 75 00
10 to 12 in	8 50 4 00	75 00
*Thuya sibirica. 1 to 1½ ft	12 50	
FISuga canadensis. 1 to $1\frac{1}{2}$ ft	\$2 00	\$17 50
1½ to 2 ft	4 00	30 00
3 to 4 ft	15 00	125 00
4 to 5 ft	25 00	120 00
5 to 6 ft 4 00	35 00	
*carolinianum. Carolina Hemlock. 3 to 6 ft.	00 00	
\$3 to 15 00		
Ulmus campestris. 8 to 12 ft	22 50	
Vaccinium corvmbosum.		
1 to 2 ft., "Collected" clumps	6 00	50 00
2 to 3 ft., "Collected" clumps	12 50	100 00
2 to 3 ft., "Collected" clumps 3 to 4 ft., "Collected" clumps	30 00	250 00
*macrocarpon. "Collected" clumps	4 00	30 00



EVERGREEN AND DECIDUOUS TREES AN	D 6	LIDITOC	
EVERGREEN AND DECIDOOUS TREES AN	ט ס	HKUBS,	con.
	lach	10	100
Viburnum acerifolium. 1 to $1\frac{1}{2}$ ft	40	\$3 00	
alnifolium. 2 to 3 ft	75	6 00	
cassinoides. 2 to 3 ft	50	4 00	
3 to 4 ft	00	8 50	
4 to 6 ft		18 00	
dentatum. 4 to 6 ft., heavy clumps		20 00	
dilatatum. $1\frac{1}{2}$ to 2 ft	60	5 00	
molle. 1½ to 2 ft	50	4 00	
opulus. 2 to 3 ft	50	4 00	
oxycoccus. 1½ to 2 ft	40	3 00	
prunifolium. 1 to 3 ft	60	5 00	
tomentosum. 12 to 3 ft	50	4 00	\$30 00
	75	6 00	50 00
3 to 4 ft			00 00
*Vinea minor	20	1 25	10 00
*alba	35	2 00	17 50
Vitis, Concord. Very heavy	75	6 00	50 00
Weigela, in variety. 2 to 3 ft	65	4 00	
Xanthorrhiza apiifolia. 6 to 12 in., clumps	50	4 00	30 00
*Yucca flaccida. Clumps	50	4 00	30 00

Hardy Herbacous Vines, Perennials and Bog Plants

We are prepared to supply any Hardy Herbaceous Perennials at reasonable prices which fit the quality of stock desired. Weak plants are cheaper and strong clumpy stock is always recommended. Special attention is called to our fine list of Hardy Ferns. Per 10 100 1.000

Actæa rubra	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1,000
californica	4 00	\$35 00
capita. Blue	2 00	15 00
coccinea. 5 to 1 in. diameter	4 00	35 00
grandiflora. Blue	2 00	15 00
ixioides splendens. Very fine yellow 40	2 50	22 00
laxa. Fine; blue in umbels	2 00	15 00
peduncularis. White. Fine for wet places 40	2 50	22 00
volubilis. Twining hyacinth 5 to 8 in. diam 60	4 00	35 00
Calochortus albus. Pearly white	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	15 00
benthamii. A charming yellow cup	$\begin{array}{cccc} 2 & 00 \\ 8 & 00 \end{array}$	15 00
	6 00	
gunnissonii. Superb; white; hardy	4 00	35 00
lilacinus. Satiny lilac	2 00	15 00
luteus. Light yellow; no eye30	2 00	15 00
macrocarpus	6 00	20 00
maweanus roseus. Rose tinted	3 00	
nitidus. Very fine. Lilac, purple blotched;		
hardy 40	3 00	25 00
plummeræ. Superb. Fine lilac	8 00	
splendens type. Fine lilac 1 00	4 00	35 00
venustus citrinus. Deep yellow 30	2 00	15 00
venustus oculatus. White or tinted lilac 30	2 00	15 00
venustus purpurascens. Purple 1 00	4 00	35 00
venustus roseus	$\frac{4}{6} \frac{00}{00}$	35 00 45 00
vesta. Finest Mariposa tulip. Very fine bulbs 1 25	6 00	45 00



Cypripedium reginæ (see page 7)

KELSEY'S Hardy American Plants Rhododendrons and Azaleas CATALOG OF SALEM AND BOXFORD NURSERIES

HARDY HERBACEOUS VINES, PERENNIA	IS E	TC asn	tinuad
	Per 10	100	1,000
Caltha palustris	\$1 25 1 25	\$10 00 10 00	
Chalana alahaa	1 95	10 00	
Cornus canadensis. "Collected" clumps	$\begin{array}{cccc} 1 & 25 \\ 1 & 25 \end{array}$	10 00	
Clematis apiifolia. Heavyeach, 40 cts,	3 50° 3 50	30 00	
paniculata. 2 yearseach, 40 ctc,	3 50	30 00	
Iyoni Cornus canadensis. "Collected" clumps. Clematis apiifolia. Heavyeach, 40 cts,. crispa. Strongeach, 40 ctc,. paniculata. 2 yearseach, 40 ctc,. 3 yearseach, 60 cts, virginiana. 3 to 4 fteach, 50 cts,	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00 35 00	
Convallaria majalis	$\begin{array}{ccc} 1 & 00 \\ 1 & 25 \end{array}$	8 00 10 00	
reginæ. 1 to 2 crowns	2 50	20 00	
Cypripedium acaule reginæ. 1 to 2 crowns. 3 to 4 crowns. 5 to 6 crowns.	. 6 00 10 00	50 00 80 00	
7 to 8 crowns	14 00	100 00 8 00	
Erythronium albidum	1 50		
americanum	50 1 00	$\begin{array}{ccc} 2 & 00 \\ 4 & 00 \end{array}$	\$16 00 35 00
citrinum. Light yellow, deep orange center	1 00 50	$\begin{array}{ccc} 4 & 00 \\ 2 & 00 \end{array}$	$\frac{35}{16} \frac{00}{00}$
giganteum. True. Pure white	1 00	4 00	35 00
hartweggii. Cream, yellow at centerhendersonii. Splendid lilac, maroon center	50	$\begin{array}{ccc} 2 & 00 \\ 4 & 00 \end{array}$	$\frac{16}{35} \frac{00}{00}$
revolutum. White, changing to purple	1 00	4 00	35 00
grandiflorum. Bright yellow. ctrinum. Light yellow, deep orange center californicum. The standard cream sort giganteum. True. Pure white hartweggii. Cream, yellow at center hendersonii. Splendid lilac, maroon center revolutum. White, changing to purple purpurascens. Handsome variety—from high mountains, where it endures great cold. Bright yellow turning to purple Hardiest California variety. 6 to 12 in high	t		
Cold. Bright yellow turning to purple Hardiest California variety. 6 to 12 in			
high. Eupatorium ageratoides.	$\begin{array}{c} 1 & 00 \\ 1 & 25 \end{array}$	$\frac{4}{10} \frac{00}{00}$	35 00
Fritinaria Dinora. Nearly black, Low: bell-	-		
shaped. pluriflora. Very fine. Nearly purple red. coccinea. Deep crimson lanceolata gracilis. Nearly black-purple.	$\begin{array}{cccc} 1 & 25 \\ 1 & 25 \end{array}$	$\begin{array}{cccc} 6 & 00 \\ 6 & 00 \end{array}$	
coccinea. Deep crimson.	1 00	4 00	35 00
		6 00 3 00	25 00
1 to 1½ in. diam Order Fritillarias before Oct. 1, if possible.	. 1 00	4 00	35 00
Galax aphylla Habenaria ciliaris.	. 2 50	18 00 8 00	
Helenium autumnale	. 1 00	8 00	
Helonias bullata. Heuchera sanguinea.	. 1 25	10 00 10 00	
Humulus lupulus Hydrastis canadensis	. 1 00	8 00 8 00	
Iris cristata	. 1 50	10 00	
missouriensis pseudacorus	. 1 50	$\begin{array}{ccc} 12 & 00 \\ 12 & 50 \end{array}$	
verna	. 1 50	10 00 8 00	
Limodorum (Calopogon) pulchellus	. 1 50	12 00	
Lilium canadense. Ist size	. 65	8 00	
canadense rubrum carolinianum	. 2 00	15 00 12 00	
columbianum	. 3 00	20 00	
grayi. 1st size	. 1 50	12 00 20 00	160 00
8 to 9 in. circumference 9 in. circumference and over	. 3 50	25 00 45 00	180 00
kellogii		45 00	70.00
pardainum. One eye. Heavier. parryii. Medium.	. 1 50	12 5 0 16 00	70 00
parryii. Medium	. 6 50 .10 00	45 00 75 00	
parvum. Good. Large.	. 4 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
philadelphicum	. 1 00	8 50	
rubescens speciosum	. 6 50 . 2 00	$\begin{array}{ccc} 45 & 00 \\ 12 & 00 \end{array}$	
speciosumst sizewashingtonianum, var. purpureum	. 1 00	8 00	
7 to 8 in. circumference	. 2 50	20 00	
!! to 12 in, circumterence	. 6 50	30 00 48 00	
Lycopodium, in variety	. 1 00	8 00 10 00	
Monârda, in variety Nymphæa advena	. 1 25	10 00	
Prontium aquaticum	6 00	8 00 50 00	
Strong plants with 2 to 3 eyes	. 1 (0	15 00 10 00	
Parnassia caroliniana. Phlox decussata, in variety.	. 2 00	18 00 8 00	
subulata alba	. 1 00	8 00	
Pontederia cordata Potentilla tridentata Potentilla tridenta Potentilla Pot	. 1 00	8 00 8 00	
Porteranthus (Gillenia) stipulatus	. 1 00	8 00	
Rhexia virginica. Sarracenia purpurea. Sedum (Stonecrop) in variety.	. 1 00 . 1 25	8 00 10 00	
Sedum (Stonecrop) in variety	. 1 00	$\begin{array}{ccc} & 8 & 00 \\ 12 & 00 \end{array}$	
To the state of th	00		

Hardy American Plants Rhododendrons and Azaleas

SALEM AND BOXFORD NURSERIES

HARDY HERBACEOUS VINES, PERENNIALS,	continu	ued
Per 10 Solidago, in variety	100 \$10 00 26 00	1,000
2nd size 1 50 Trillium cernuum 1 00	12 50 8 00	
erectum. 1st size	5 00 3 00	\$30 00 18 00
erectum album 1 25 grandiflorum 1st size 60	10 00 3 50	20 00
2nd size30	1 50	12 00
nivale 1 25 recurvatum 1 25	10 00	
sessile, var californicum 1 00	7 50 7 50	55 00 55 00
stylosum. 1st size 1 00	8 00	60 00
2nd size 60 undulatum 1st size 75	4 00 6 00	40 00
2nd size. 60 Thalictrum cornuti. 1 00	4 00 8 00	30 00
Typha latifolia 1 00	8 00	60.00
Viola cornuta 1 00 pedata 1 00	8 00	60 00
pedata bicolor	14 00	
Hardy Native Ferns		
Adiantum pedatum. Maidenhair Fern. Per 10 8 to 20 in	100 \$8 50	1 000 \$75 00
Aspidium (Dryopteris) acrostichoides. Dagger		
Fern. 8 to 20 in	$\begin{array}{ccc} 6 & 00 \\ 12 & 50 \end{array}$	50 00
cristatum. 1 to 2 ft	6 00 8 50	
filix-mas. 12 to 44 in	12 50	
goldianum. Goldie's Fern. 24 to 40 in	12 50 6 00	50 00
munitum. Chamissos Shield Fern	17 50 6 00	
spinulosa. Spinulose Shield Fern	8 00	
spinulosa, var. dilatatum. Broad fronds 1 50 thelypteris. Marsh Shield Fern 1 00	12 50 8 00	
cristatum, var. clintonianum. 16 to 52 in. 1 00 filix-mas. 12 to 44 in. 1 50 goldianum. Goldie's Fern. 24 to 40 in. 1 50 marginalis. Shield Fern. 12 to 28 in. 75 munitum. Chamissos Shield Fern. 2 00 noveboracensis. New York Fern. 75 spinulosa. Spinulosa Shield Fern. 1 00 spinulosa, var. dilatatum. Broad fronds. 1 50 thelypteris. Marsh Shield Fern. 1 00 Asplenium angustifolium. 3 to 4 in. 1 25 ebenum. 9 to 18 in. 1 00	10 00 8 00	
ebeneum. 9 to 18 in	8 00 8 00	
trichomanes. Maidenhair Spleenwort. 3 to 8 in. 1 00	8 00	
Botrychium ternatum dissectum 1 00 obliquum. 4 to 16 in 1 00	8 00	
obliquum. 4 to 16 in	8 00	
4 to 12 in 1 25	10 00	
Cryptogramma acrostichoides. 4 to 8 in 1 00	8 00	
Cystopteris bulbifera. Bladder Fern. 1 to 2 ft 75 fragilis. Brittle Fern. 4 to 12 in	6 00 8 00	
Dicksonia punctilobula. Hay-scented Fern.		20.00
20 to 40 in	$\begin{array}{c} 8 & 00 \\ 12 & 50 \end{array}$	60 00
Onoclea sensibilis. Sensitive Fern. 4 to 12 in 1 00	8 00 8 00	60 00
Ophioglossum vulgatum. 2 to 42 in 1 00	8 00	
Osmunda cinnamomea. Cinnamon Fern. 32 to 63 in	12 00	100 00
32 to 63 in	12 00 8 00	100 00
regalis. Royal Fern. 12 to 63 in	12 00	
Pellæa atropurpurea. Purple-stemmed Cliff Brake. 4 to 24 in	12 00	
densa	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Phegopteris dryopteris. Oak Fern. 6 to 10 in 1 00	8 00	
hexagonoptera. Broad Beech Fern. 7 to 12 in. 1 00 polypodioides. 4 to 8 in	8 00	
Polypodium falcatum. 6 to 15 in	10 00 6 00	45 00
Pteris aquilina. Common Brake. 4 to 36 in 75	5 00 20 00	30 00
Scolopendrium vulgare	8 00	
obtusa. Blunt-lobed Woodsia. 8 to 20 in 1 00 Woodwardia angustifolia	$ \begin{array}{ccc} 8 & 00 \\ 12 & 50 \end{array} $	
Vingare	8 00	
Send all orders and address all corresponde	nce to	

HARLAN P. KELSEY

(Landscape Department)

Empire Theatre Building

Salem, Mass.